



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

November 21, 2017

Tabitha Reeder, Environmental Manager  
Port of Kalama  
110 West Marine Drive  
Kalama, WA 98625

Dear Ms. Reeder:

Thank you for the opportunity to comment on the determination of nonsignificance for the Central Port Stormwater Improvement Project located at 1253 North 3<sup>rd</sup> Street as proposed by Eric Yakovich, Port of Kalama. The Department of Ecology (Ecology) reviewed the environmental checklist and has the following comment(s):

**WASTE 2 RESOURCES: Beth Gill (360) 407-6380**

If greater than 250 cubic yards of inert, demolition, and/or wood waste is used as fill material, a Solid Waste Handling permit may be required (WAC 173-350-990). Check with your local jurisdictional health department for any permitting requirements that may be required.

The applicant proposes to demolish an existing structure(s). In addition to any required asbestos abatement procedures, the applicant should ensure that any other potentially dangerous or hazardous materials present, such as PCB-containing lamp ballasts, fluorescent lamps, and wall thermostats containing mercury, are removed prior to demolition. Also, be aware that PCBs are increasingly being found in caulking and paint. It is important that these materials and wastes are removed and appropriately managed prior to demolition. It is equally important that demolition debris is also safely managed, especially if it contains painted wood or concrete, treated wood, or other possibly dangerous materials. Please review the “Dangerous Waste Rules for Demolition, Construction, and Renovation Wastes,” on Ecology’s website at:

[www.ecy.wa.gov/programs/hwtr/dangermat/demo\\_debris\\_constr\\_materials.html](http://www.ecy.wa.gov/programs/hwtr/dangermat/demo_debris_constr_materials.html).

Ecology’s comments are based upon information provided by the lead agency. As such, they may not constitute an exhaustive list of the various authorizations that must be obtained or legal requirements that must be fulfilled in order to carry out the proposed action.

Tabitha Reeder, Environmental Manager

November 21, 2017

Page 2

If you have any questions or would like to respond to these comments, please contact the appropriate reviewing staff listed above.

Department of Ecology  
Southwest Regional Office

(SM:201705900)

cc: Beth Gill, W2R

Eric Yakovich, Port of Kalama (Proponent)